

## Native Plant List

Non-native plants cannot exceed 10% of your total number of plants. If you are planting near shoreline, creeks, or wetlands outside of city limits check with HIP staff on special rules regarding native plant cultivars

Common Name	Scientific Name	Soil Moisture/ Water Use	Mature Height	Mature Width (ft.)	Notes		
Groundcovers and Perennials For Shady Locations							
Deer Fern	Blechnum spicant	W-M/H	2'		Evergreen fern.		
Wild Ginger	Asarum caudatum	M/M-L	6"		Spreads once established.		
Groundcovers and Perennials For Shady to Partly Shady Locations							
Bunchberry Dogwood	Cornus unalaschkensis	M/H	6"		Spreads once established.		
Creeping Oregon Grape	Mahonia repens	M-D/M	1'-2'		Evergreen, woody, heat intolerant. Spreads.		
False Lily-of-the-valley	Maianthemum dilatatum	M/M	0.5'-1'		Somewhat evergreen. Spreads vigorously.		
Fringecup	Tellima grandiflora	M-D/M	1'-2'		Spreads vigorously. Unusual flower petals.		
Goat's Beard	Aruncus dioicus	M-D/M-H	3'-6'		Can tolerate some sun. Impressive size.		
Inside-Out Flower	Vancouveria hexandra	M/M	10"		Unique flowers. Spreads.		
Lady Fern	Athyrium filix-femina	W-M/M	1'-6'		Beautiful fern with lacy foliage. Good for wet soils.		
Maidenhair Fern	Adiantum aleuticum	M/M	1'-2'		Prefers soils high in organic matter.		
Redwood Sorrel/Oregon Oxalis	Oxalis oregana	M-D/M-L	6"		Spreads once established. Tolerates deep shade.		
Salal	Gaultheria shallon	M-D/H	2'-5'		Woody, evergreen groundcover. Spreads. Edible berries.		
Slender-foot Sedge	Carex leptopoda	M/M	1'-2'		Found in upland forests.		
Spiny Wood Fern	Dryopteris expansa	M-W/M	1.5'-3'		A fairly large fern with lacy leaves on triangular fronds.		
Vanilla Leaf	Achlys triphylla	M-D/M	1'		Common in our local forests. Spreads once established.		
Western Bleeding Heart	Dicentra formosa	M-D/L	1'-3'		Many cultivated varieties, be sure to get the true native.		
Western Sword Fern	Polystichum munitum	M-D/H	3'-5'		Evergreen fern. Once established, needs little care.		
Woodland Strawberry	Fragaria vesca	M/M-H	3"-6"		Edible berries. Spreads vigorously.		
Groundcovers and Perennials For Partly Shady to Sunny Locations							
Arctic Sweet Coltsfoot	Petasites frigidus v. palmatus	M-W/M	1'-2'		Flowers come first, can tolerate shade. Vigorous grower.		
Beach Strawberry	Fragaria chiloensis	M-D/M-L	3"-6"		Somewhat evergreen, spreads vigorously. Edible berries.		
Bigleaf Lupine	Lupinus polyphyllus	M-D/M	5 <b>'</b>		Vigorous. Produces a lot of seeds.		
Big Leaf Sedge	Carex amplifolia	W-M/M-H	2'-4'		Can be aggressive.		
Blue-Eyed Grass	Sisyrinchium idahoense	M-W/M-H	0.5'-1'		Grass-like leaves and beautiful blue flowers.		
Broad-Leaved Shooting Star	Dodecatheon hendersonii	M-D/L	1'-1.5'		Likes "spring wet, summer dry" conditions.		
Darkthroat Shooting Star	Dodecatheon pulchellum	M-W/M	1'-1.5'		Likes "spring wet, summer dry" conditions.		
Douglas Aster	Symphyotrichum subspicatum	M-D/M	2'-3'		Prefers dry. sunny habitats.		
Douglas' Grasswidow	Olsynium douglasii	M-D/M	0.5'-1'		Pretty plant, may be difficult to find.		
Canadian Goldenrod	Solidago canadensis	M-D/M	2'-5'		Attracts butterflies and bees.		
Chamisso Sedge	Carex pachystachya	M-D/M	0.5'-2.5'		Good margin plant between wet and dry habitats.		
Columbia Lily	Lilium columbianum	M-D/L	4'		Bulb. Prefers shadier sites.		
Common Camas	Camassia quamash	M-D/M	2'-2.5'		Bulb. Likes "spring wet, summer dry" conditions.		

Common Name	Scientific Name	Soil Moisture/ Water Use	Mature Height	Mature Width (ft.)	Notes		
Common Harebell	Campanula rotundifolia	M-D/M	0.5'-1'		Can tolerate some shade.		
Henderson's Checker Mallow	Sidalcea hendersonii	M-W/M	1'-3'		Rare native with spikes of pink hollyhock-like flowers.		
Kinnikinnick	Arctostaphylos uva ursi	M-D/M	0.5'-1'		Evergreen, does well in poor and coarse soils.		
Kinnikinnick 'Vancouver Jade' - C	Arctostaphylos uva ursi 'Vancouver Jade'	M-D/L	0.5'-1'		Can spread more quickly than the native version.		
Great Camas	Camassia leichtlinii	M-D/M	1'-1.5'		Bulb. Likes "spring wet, summer dry" conditions.		
Lakeshore Sedge	Carex lenticularis	M-W/H	1'-3'		Clumps of pale blue or green grass like leaves.		
Lanceleaf Tickseed	Coreopsis lanceolata	D/M	2'-3'		Grows in small clumps, forming extensive colonies.		
Merten's Sedge	Carex mertensii	M/M	1'-3'		Densely tufted. Can tolerate drier conditions.		
Oak Fern	Gymnocarpium dryopteris	M/M	1'		Small delicate fern. Spreads but not aggressively.		
Oregon Iris	Iris tenax	M-D/M	1'-1.5'		Reported to be deer resistant. Forms clumps.		
Oregon Stonecrop	Sedum oreganum	D/L	0.5'		Succulent, creeping.		
Oregon Sunshine	Eriophyllum lanatum	M-D/L	0.5'-2'		Fast growing.		
Pearly Everlasting	Anaphalis margaritacea	D/M	1'-4'		Best in sunny areas. Good butterfly plant.		
Pink Sea Thrift	Armeria maritima	M-D/M	0.5'-1'		Does best in sun and well drained soils. Forms mounds.		
Poverty Oatgrass	Danthonia californica	M/M	1'-4'		Withstands foot traffic.		
Red Columbine	Aquilegia formosa	M-D/M	3'		Attracts hummingbirds, self-seeds.		
Roemer's Fescue	Festuca idahoensis ssp. roemeri	M-D/M	1'-3'		Bunchgrass, grows in clumps.		
Roundleaf Alum Root	Heuchera cylindrica	M-D/L	1'-1.5'		Evergreen perennial.		
Showy Fleabane	Erigeron speciosus	M-D/L	1'-3'		Will form clumps that can be divided.		
Sitka Sedge	Carex aquatilis	M-W/H	1'-4'		Can tolerate some standing water.		
Slough Sedge	Carex obnupta	M-W/H	2'-3'		Common locally, evergreen.		
Spreading Rush	Juncus patens	M-W/M	1'-3'		Can tolerate drier soils in late summer.		
Spreading Stonecrop	Sedum divergens	D/L	0.5"		Drought tolerant succulent.		
Tufted Hairgrass	Deschampsia cespitosa	M-W/L	0.5'-4'		Clumping grass with large plumes, tolerates salt spray.		
· ·	Delphinium nuttallii	M-D/M	1'-2'		Rare throughout its range.		
Western Cone Flower 'Green Wizard' -C	Rudbeckia occidentalis 'Green Wizard'	M/M	2'-5'		Smaller, greener cultivar of the true native.		
Wild Bergamot	Monarda fistulosa	M-D/M	1'-3'		Heat tolerant. Great pollinator plant.		
Groundcovers and Perennials For Sunny Locations							
Dagger-leaf Rush	Juncus ensifolius	M-W/M	1'-2'		Iris like leaves. Spreads via rhizomes.		
Nodding Onion	Allium cernuum	M-D/M	0.5'-1.5'		Benefits from dividing every 3 years or so.		
Sawbeak Sedge	Carex stipata	M-W/H	4'		Thrives in disturbed areas. Can grow in standing water.		
Slender Rush	Juncus tenuis	M/M	2.5'		Thrives in disturbed areas. Can tolerate some shade.		
Western Blue-Flag Iris	Iris missouriensis	W/H	1'-3'		Forms clumps.		
Shrubs For Shady Locations							
Red Huckleberry	Vaccinium parvifolium	M-D/L	3'-12'	6'	Prefers rotting wood as a substrate.		
Shrubs For Shady to Partly Shady Locations							
Bald-Hip Rose	Rosa gymnocarpa	M-D/M	5'		Prefers partial shade.		

C = Cultivar H = Hybrid Soil Moisture: W = Wet M = Moist D - Dry Water Use: L = Low M = Medium H = High

Common Name	Scientific Name	Soil Moisture/ Water Use	Mature Height	Mature Width (ft.)	Notes	
Beaked Hazelnut	Corylus cornuta v. californica	M-D/M	5'-15'	15'	Often multi-stemmed. Edible nuts.	
Compact Oregon Grape -C	Mahonia aquifolium 'Compacta'	D/M	2'-3'	3'-5'	Not quite as tall as tall Oregon grape.	
Evergreen Huckleberry	Vaccinium ovatum	M-D/L	6'-8'	4'-6'	Can be hedged. Edible berries. Best in acidic soil.	
Indian Plum/Osoberry	Oemleria cerasiformis	M-D/M	15'	10'	One of the first shrubs to flower in the spring. Spreads.	
Low Oregon Grape	Mahonia nervosa	M-D/L	2'-3'	2'	Evergreen, holly-like leaves.	
Mallow Ninebark	Physocarpus malvaceus	D/L	1.5'-6'	10'	Drought tolerant.	
Orange Honeysuckle	Lonicera ciliosa	M/M	20'+	Vine	Not aggressive. Attracts hummingbirds.	
Pacific Rhododendron	Rhododendron macrophyllum	M-D/H	5'-20'		Well drained soils. State flower of Washington.	
Salmonberry	Rubus spectabilis	M-W/M	6'-15'	Thicket	Spreads readily. Edible berries, can tolerate sunnier sites.	
Tall Oregon Grape	Mahonia aquifolium	M-D/L	8'	5'	Evergreen, fragrant yellow flowers.	
Shrubs For Partly Shady to Sunny Locations						
American Cranberry Bush	Viburnum opulus v. americanum	M-W/H	8'-12'		Edible berries increased in full sun.	
Black Cap Raspberry	Rubus leucodermis	M-D/M	5'-7'	3'	Very prickly arching canes, delicious native raspberry.	
Black Gooseberry	Ribes divaricatum	M-W/M-H	8'	Thicket	Arching canes root as they touch the ground. Thorns.	
Black Twinberry	Lonicera involucrata	M-W/M	9'-12'	10'	Less vigorous in drier spots. Can tolerate shade.	
Blizzard Mock Orange -C	Philadelphus lewisii 'Blizzard'	M/M	5'-6'	4'-5'	More winter hardy and compact than the native.	
Cluster Rose	Rosa pisocarpa	M-W/M	6'-8'	Thicket	Creates thickets. Loved by bees.	
Golden Currant	Ribes aureum	M-D/L	3'-9'	3'-6'	Edible berries. Common east of the Cascades.	
Hairy Honeysuckle	Lonicera hispidula	M-D/M-L	0.5'-1'	Vine	Non-climbing. Sparse bloomer.	
Hardhack	Spiraea douglasii	M-W/M	6'-12'	Thicket	Can be aggressive on wetter sites. Better contained if dry.	
Mock Orange	Philadelphus lewisii	M-D/L	6'-10'	8'	Heavily scented flowers.	
Nootka Rose	Rosa nutkana	M/H	6'-10'	Thicket	Thicket forming. Loved by bees.	
Pacific Ninebark	Physocarpus capitatus	M-W/L	3'-8'	8'	Tolerates pruning. Tolerates a wide range of conditions.	
Oceanspray	Holodiscus discolor	M-D/M	10'	9'	Tolerates shade and salt spray.	
Oval-Leaf Viburnum	Viburnum ellipticum	D/L	3'-12'	4'-8'	Drought tolerant.	
Red Elderberry	Sambucus racemosa	M-D/M	8'-15'	8'-10'	Fast growing.	
Red-Flowering Currant	Ribes sanguineum	M-D/M	6'-20'	10'	Can tolerate shade but at the expense of blossoms.	
Red Osier Dogwood	Cornus sericea	M-W/M	6'15'	12'	Red stems provide winter interest. Can sucker.	
Shiny-Leaved Spirea	Spiraea lucida	M-D/M	2'-4'	2'-4'	Pretty, short stature shrub.	
Sitka Mountain Ash	Sorbus sitchensis	M/L	3'-15'	6'-10'	Attractive fall colors.	
Snowberry	Symphoricarpos albus	M-D/M	2'-8'	Thicket	Berries feed the birds in winter.	
Snowbrush Ceanothus	Ceanothus velutinus	M-D/M-L	5'-12'	6'-12'	Evergreen, scented. Needs little water once established.	
Subalpine Spiraea	Spiraea densiflora	M-W/M	2'-3'	2'-3'	Pretty, short growing shrub. Attracts butterflies.	
Sweet Gale	Myrica gale	M-W/M-H	2'-5'	3'-4'	Sweetly scented leaves. Can thrive in very wet soils.	
Thimbleberry	Rubus parviflorus	M-D/H	3'-8'	6'	Thorn-less, edible berries. Spreads vigorously.	
Utah Serviceberry	Amelanchier utahensis	D/M	6'-12'	6'-10'	Slightly smaller mature height than A. alnifolia.	
Western Sweetshrub	Calycanthus occidentalis	M/M	6'-12'	6'-12'	Fragrant, deep red flowers.	

Common Name	Scientific Name	Soil Moisture/ Water Use	Mature Height	Mature Width (ft.)	Notes		
Wood's Rose	Rosa woodsii	M-D/L	3'-5'	Thicket	Can tolerate a variety of conditions.		
Yellow Twig Dogwood <b>-C</b>	Cornus sericea 'Flaviramea'	M-W/M	5'-6'	5 <b>'</b> -6'	Cultivar of red osier with bright yellow stems.		
Shrubs For Sunny Locations							
Hairy Manzanita	Arctostaphylos columbiana	M-D/L	5'-15'	6'	Evergreen, looks similar to Kinnikinnick but taller.		
Pacific Wax Myrtle	Myrica californica	M-D/M-L	10'-15'	10'	Evergreen, tolerates pruning.		
Redstem Ceanothus	Ceanothus sanguineus	M-D/H	8'-10'	6'	Attractive red stems provide winter interest.		
Shrubby Cinquefoil	Dasiphora fruticosa	M-D/M-L	3'-4'	3'-4'	Can tolerate shade. A nice low growing rounded shrub.		
Skunkbrush Sumac	Rhus trilobata	D/L	6'	Thicket	Nice fall color. Tolerates some shade.		
Trees For Shady to Partly Shady Locations							
Vine Maple	Acer circinatum	M-D/M	25'-35'	15'	Can take full sun in very moist soils.		
Western Hemlock	Tsuga heterophylla	M-W/M	225'	30'	State tree of Washington.		
Western Red Cedar	Thuja plicata	M-W/M	100'-150'	40'	Iconic PNW conifer. Retains lower branches.		
Trees For Sunny to Partly Shady Locations							
Bitter Cherry	Prunus emarginata	M-D/M	45'-80'	15'-25'	Bitter cherries are loved by birds.		
Black Chokecherry	Prunus virginiana	M-D/M	20'	10'-20'	Suckers. Edible cherries.		
Black Hawthorne	Crataegus douglasii	M-W/H	15'-30'	20'	Large thorns do not deter deer.		
Cascara	Frangula purshiana	M-D/L	30'-40'	20'	Thrives in a variety of conditions, including shade.		
Douglas Maple	Acer glabrum v. douglasii	M-D/M-L	30'	20'	Attractive fall colors.		
Eddy's White Wonder Dogwood -H	Cornus nuttallii x florida	M/M	20'-40'	15'-35'	Shows resistance to dogwood anthracnose.		
Excelsa Western Red Cedar -C	Thuja plicata 'Excelsa'	M/M	35'	20'	Cultivar is much smaller than native. Good screen plant.		
Garry Oak	Quercus garryana	M-D/M-L	80'	45'	Acorns are eaten by birds and mammals.		
Grand Fir	Abies grandis	M-D/M-L	150'-250'	30'	Scented. Grows quickly.		
Mountain Hemlock	Tsuga mertensiana	M/M	25'-30'	15'	Alpine species rarely achieves its mature height of >100'.		
Pacific Crabapple	Malus fusca	M-W/M	25'-30'	15'	Can form multi-stemmed thickets.		
Oregon Ash	Fraxinus latifolia	M-W/M	80'	35'	Can tolerate some standing water early in the season.		
Paper Birch	Betula papyrifera	M/M	100'	25'-50'	Attractive peeling bark.		
Serviceberry	Amelanchier alnifolia	M-D/M	6'-20'	20'	Fragrant flowers, edible berries.		
Shore Pine	Pinus contorta var. contorta	W-D/M	35'-60'	20'	Tolerant of a wide variety of site conditions.		
Sitka Alder	Alnus viridis ssp. sinuata	M/H	20'-25'	10'	Often multi-trunked. Can handle poor soils.		
Sitka Spruce	Picea sitchensis	M-W/M	>150'	40'	The world's largest spruce.		
Venus Dogwood - <b>H</b>	Cornus nuttallii x kousa 'Venus'	M/M	15'-25'	20'-25'	Shows resistance to dogwood anthracnose.		
Trees For Sunny Locations							
Alaska Yellow Cedar	Callitropsis nootkatensis	M-W/M	80'	25'	Rarely reaches mature height.		
Douglas Fir	Pseudotsuga menziesii	M-D/M-L	200'-300'	40'	Can tolerate some shade.		
Hogan Western Red Cedar -C	Thuja plicata 'Hogan'	M/M	15'-40'	8'-20'	Can tolerate some shade.		
Water Birch	Betula occidentalis	M/H	20'-33'	10'-15'	Often multi-trunked. Can tolerate some shade.		
Seaside Juniper	Juniperus maritima	M-D/M	15'-25'	10'-20'	Commonly found on coastal bluffs.		

C = Cultivar H = Hybrid

<u>Soil Moisture</u>: W = Wet M = Moist D - Dry

Water Use: L = Low M = Medium H = High